


TS.TIS.4 REF: REV:

BIOGEAR XP Instructions for Use



We recommend that **BIOGEAR XP** is used in accordance with the following guidelines:

- 1. BIOGEAR XP grades are suitable for use in systems operating at temperatures in the range of -25°C to 100°C.
- Miscible with mineral oil and synthetic esters, but in accordance with good practice, it is recommended that the previous mineral oil be fully drained. Compatibility with other oils cannot be guaranteed and we accept no product liability where our EALs have been mixed with another fluid. Where the previous oil has shown significant signs of ageing, a propensity to foam or where carry-over is more than 5%, a flush fill should be considered.
- The equipment manufacturer's fluid viscosity guidelines should be adhered to. These will normally be available in the equipment manual.
- 4. Certain systems require the gear oil to perform both a gear and a hydraulic function. In such designs, BIOGEAR XP should be filled via a fine filter, preferably 10-micron absolute pore size, to remove any possible contamination that may occur once the packaging is opened.
- 5. Any top-up of the system should be with the same grade of BIOGEAR XP. Do not mix with other fluids including other biodegradable fluids.
- Water content should not exceed 1000 ppm (0.1%). Any free water should be separated off on a regular basis. Use of a hygroscopic breather on the equipment to absorb airborne moisture is recommended, particularly in tropical climates.
- Representative samples (minimum 100 ml) ideally should be sent to Vickers Oils for analysis within one month of sampling date in accordance with the following schedule:
 - On initial running (i.e. within the first 10 operating hours)
 - ii. At the earlier of one month or 100 operating hours
 - iii. At the earlier of three months or 300 operating hours
 - Every three months or 300 operating hours thereafter

In case of any issues arising from the sample analysis, all recommendations by Vickers Oils should be followed.

Vickers Oils, its officers, employees and agents assume no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with Vickers Oils for the provision of this information or advice and in that case responsibility or liability is exclusively on the terms and conditions set out in that contract. These products should only be used for the applications specified. The supplier cannot accept responsibility if it is used in any other applications.

BENJ^N R. VICKERS & SONS LTD.

Registered Office 6 Clarence Road, Leeds, LS10 1ND, United Kingdom

+44 (0)113 386 7654 Tel: +44 (0)113 386 7676 Fax: Email: techserv@vickers-oil.com Web: www.vickers-oil.com

Accredited to the ISO 9001 Quality Standard and the ISO 14001 Environmental Management Standard





